

TENN ST36-1505 PNEUMATIC ROTARY HAMMER

Large, powerful 1500-watt motor, high power reserves



- *Electro-pneumatic hammering mechanism*
- *Compact, light weight and robust*
- *Best for drilling holes between 12-22 mm ϕ in hard concrete*
- *Designed for heavy-duty use e.g. rebar installation in hard concrete, curtain wall erection, elevator rails, HVAC, plumbing, electrical and firefighting installations*
- *Tenn service and spare parts support*

Technical Data

Drilling capacities ϕ

- concrete: solid drill bits 36 mm max
- concrete: Unicut bits 80 mm max
- steel 13 mm

No load speed

920 rpm

Hammering rate

4100 bpm

Impact energy

4.5 Joules

Power input

1500 Watt

Voltage


230-240 V

Weight

5.7 kg

Toolholder

SDS-plus



TENN ST38-1351

PNEUMATIC ROTARY HAMMER

The universal tool for drilling and chiselling

- **Electro-pneumatic hammering mechanism**
- **Best for drilling holes between 16-38 mm \varnothing in hard concrete**
- **Designed for heavy-duty use e.g. drilling large diameter and deep holes in hard concrete for rebar installation, steel work**
- **Tenn service and spare parts support**

Technical Data

Drilling capacities \varnothing

- concrete: solid drill bits 40 mm max
- concrete: core bits 125 mm max
- steel 13 mm

No load speed 150-516 rpm

Hammering rate 3120 bpm

Impact energy 13 Joules

Power input 1350 Watt

Voltage 230-240 V

Weight 7.1 kg

Toolholder SDS-max



SDS-max toolholder
impressive torque transmission


Die cast magnesium alloy housing
lightweight, superior heat dissipation and enhanced body strength



Unique chisel rotation system
flat chisel may be locked in any one of 12 positions to improve work efficiency

Patented switch-on lock
finger controlled switch-on lock reduces fatigue in high-intensive work

Large soft grip
reduces user fatigue during long operation



Pillar type safety clutch
reliable overload protection for armature and ensures operator safety

Extreme long lifetime
drill speed, impact energy, hammering rate, tool weight and size are optimally matched

1350W robust motor
high power reserve, practically indestructible on site

Variable speed control
for selection of the best drilling speeds

Soft start
for precision drilling as well as safe operation

Rotatable cable sheath
relieves strain on the cable, thereby preventing cable breaks

Power warning light
indicates power supply stoppage

Service reminder light
indicates machine is due for maintenance/service

Electronic speed
delivers optimal drilling and chipping speeds

TENN ST26-0807

PNEUMATIC ROTARY HAMMER

Compact, lightweight and robust. For heavy duty use



- *Electro-pneumatic hammering mechanism*
- *Safety clutch*
- *Variable speed*
- *Aluminium housing*
- *Best for drilling holes between 5-16 mm \varnothing in hard concrete*
- *Tenn service and spare parts support*

Technical Data

Drilling capacities \varnothing	
– concrete	26 mm max
– steel	13 mm
– wood	30 mm
No load speed	0-1300 rpm
Hammering rate	0-4500 bpm
Impact energy	3.0 Joules
Power input	720 Watt
Net weight	2.7 kg
Toolholder	SDS-plus

TENN CST22-1811

PNEUMATIC ROTARY HAMMER

The hardworking 20-Volt Cordless Rotary Hammer. For demanding professionals





- *Electro-pneumatic hammering mechanism*
- *Powerful Shanghai-electric brushless motor*
- *Long run time 4.0 Ah lithium-ion battery*
- *Best for drilling holes between 5-12 mm \varnothing in hard concrete*
- *Built-in LED torchlight*
- *Tenn service and spare parts support*

Technical Data

Voltage	20 V
Drilling capacities \varnothing	
– concrete	22 mm max
– steel	10 mm
No load speed	0-1400 rpm
Hammering rate	0-4500 bpm
Impact energy	2.1 Joules
Charging time	90 minutes
Weight (with battery)	2.7 kg

Supplied with 1*20V Lithium-Ion Battery, 1*3.5A Intelligent Charger, Side handle, Depth Gauge Rod, Resin Case



LIMITED WARRANTY

ST26-0807 Rotary Hammer

ST36-1505 Rotary Hammer

ST38-1351 Rotary Hammer

CST22-1811 Rotary Hammer, Cordless

Tenn Holdings Sdn. Bhd. hereby warrant the products named above will be free from defects in material or workmanship. This warranty is subject to the following limitations and exclusions:

Limitations and Exclusions

1. This warranty is to the original retail purchaser only and is not transferable.
2. This warranty is valid for 24 (twenty-four) months from the date of delivery to the purchaser, whether or not actual use of the product begins on that date.
3. Tenn Holdings Sdn. Bhd.'s obligations under this warranty and the sole remedy for its breach are limited to either repair of any part or parts of the warranted product, or at its sole discretion, replacement of the product.
4. Tenn Holdings Sdn. Bhd. is not liable for loss or damage incurred during shipment, hence it is the purchaser's responsibility to buy insurance. Tenn Holdings Sdn. Bhd.'s responsibility ceases when the package is handed over to a transporter or carrier approved or nominated by the purchaser.
5. This warranty covers all charges for labour or other costs, including the cost of replacement parts, incurred in the troubleshooting, repair, and servicing.
6. This warranty covers only damage to the product resulting from defects in material or workmanship. It does not cover conditions or malfunctions resulting from normal wear, neglect, using attachments/drill steels outside the capacity of the specific rotary hammer, abuse, accident or repairs made or attempted by other than Tenn's service centers.
7. The warranty provided herein shall be void and of no effect in the event that the product has been subjected to unauthorized modifications, misuse, neglect, improper or inadequate maintenance and use in corrosive environments.

For model CST22-1811 cordless rotary hammer, the warranty period on battery and battery charger is limited to 6 (six) months from the date of delivery.

This limited warranty is for repair or replacement only. Tenn Holdings Sdn. Bhd. shall not be liable for any incidental, consequential, exemplary, special, or punitive damages, nor for any loss of revenue, profit or use, arising out of a breach of this warranty or in connection with the sale, maintenance, use, operation or repair of the product. In no event will Tenn Holdings Sdn. Bhd. be liable for any amount greater than the purchase price of the product.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY FOR THE PRODUCT AND IS IN LIEU OF ALL OTHER EXPRESS AND IMPLIED WARRANTIES INCLUDING BUT NOT LIMITED TO, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

No person or entity is authorized to bind Tenn Holdings Sdn. Bhd. to any other warranty, obligation or liability.

Acceptance, operation or use of the product for which this limited warranty is issued shall constitute acceptance by the customer of the terms listed hereof.